

 鸿新新能源						HXXJ-Q-QPJS-016	
			/	A3		3	1 6
		/			/	/	/

TTV/

A3 2023.7.22

					HXKJ-Q-QPJS-016	
	/	A3		3		2 6

4.1

4.2

5.1

100-200

	A	A-	B	C
TTV	2 um	um	50um	80um
	1 um	um	30um	60um



D	90 ± 0.15 ⁰	90 ± 0.15 ⁰	90 ± 0.2 ⁰	90 ± 0.3 ⁰
---	------------------------	------------------------	-----------------------	-----------------------

HONSUN 鸿新新能源						HXKJ-Q-QPJS-016	
	/	A3		3		3	6

			0.5mm	5	10
					1/4

5.2

5.2.1



1 *1


	A	A-	B	C
A	182 ± 0. 5mm	182 ± 0. 5mm	182 ± 0.5mm	182 ± 1mm
B	247 ± 0.25mm	247 ± 0.25mm	247 ± 0.5mm	247 ± 1mm
C	7.51 ± 0. mm	7.51 ± 0.5mm	7.51 ± 0.5mm	7.51 ± 1 mm

182. *182.

	A	A-	B	C
A	182. ± 0. 5mm	182. ± 0. 5mm	182. ± 0.5mm	182. ± 1mm
B	247 ± 0.25mm	247 ± 0.25mm	247 ± 0.5mm	247 ± 1mm
C	7. ± 0. mm	7. ± 0.5mm	7. ± 0.5 mm	7.51 ± 1 mm

182*183.75

 鸿新新能源	183.75 ± 0.25mm		HXKJ-Q-QPJS-016
--	-----------------	--	-----------------



		A	A-	B	C	
--	--	---	----	---	---	--

182 ± 0.25mm 182 ± 0.25mm

A 183.75 ± 0.25mm

2100-2400

1

6-7

5.5.2

LOGO

LOGO

5.6

5.7 :

5.7.1

